

## DEFICIENT PLASMAS

### Acquired deficient plasmas (Bottles)

## Plasminogen human deficient plasma (acquired)



### Associated products

Human Plasminogen congenital deficient plasma

### Informations

Plasminogen is a plasma protein which is involved in its active form (plasmin) in the processes of fibrinolysis. Plasminogen is synthesized by the liver, kidney, cornea, and eosinophils.

It exists in 2 forms: glu-plasminogen (native form) and lys-plasminogen (more active form).

These 2 forms can be transformed into plasmin.

Reference	Presentation	Format
6-PPDPLGA	Vial	Minimum 50 mL

Packaging in bottle. The minimum packaged volume is 50 mL. The price offer is based on the volume requested.

### Advantages

Minimize test time.  
Ready to use.

### Characteristics

Special plasmas are derived from patients with acquired deficiency, severe or moderate, or presenting a particular profile.  
No buffer or preservatives are added. Quickly frozen at  $-80^{\circ}\text{C}$ , the plasma maintains perfectly intact the matrix. All plasmas are stable when stored at  $-40^{\circ}\text{C}$  to  $-80^{\circ}\text{C}$ .  
We carefully pack with dry ice during shipment.  
No additive or preservative.  
Expiry date > 1 year.  
Plastic vials.

