


CryoPep

Cryogenics at the service of haemostasis



ENZYMES

Edition of 2024-04-11 15:04:41

Endothelial Cells

Bilinexin
Convulxin
Echicetin
EMS16

Mucetin
Rhodocytin
Sochicetin-A
Triwaglerin

Thrombin (FIIa)


Biotinylated bovine α -thrombin - blocked active site (FPRck)

Ref	Format
9-BCT-BFPRCK	200 μ g
9-BCT-BFPRCK-1	1 mg



Bovine α thrombin

Ref	Format
9-BCT-1020	200 μ g
9-BCT-1020-1	1 mg



Bovine α thrombin - blocked active site (DFP)

Ref	Format
9-BCT-DFP	200 μ g
9-BCT-DFP-1	1 mg



Bovine α thrombin - blocked active site (FPRck)

Ref	Format
9-BCT-FPRCK	200 μ g
9-BCT-FPRCK-1	1 mg



Human gamma-thrombin

Ref	Format
9-HCGT-0021	100 μ g
9-HCGT-0021-1	1 mg



Human α thrombin

Ref	Format
9-HCT-0020	100 μ g
9-HCT-0020-1	1 mg



Human α thrombin - blocked active site (DFP)

Ref	Format
9-HCT-DFP	100 μ g
9-HCT-DFP-1	1 mg



Human α thrombin - blocked active site (FPRck) - PPACK

Ref	Format
9-HCT-FPRCK	100 μ g
9-HCT-FPRCK-1	1 mg



Human α thrombin - blocked active site (FPRck) - biotinylated PPACK

Ref	Format
9-HCT-BFPRCK	100 μ g
9-HCT-BFPRCK-1	1 mg



Human β thrombin

Ref	Format
9-HCBT-0022	100 μ g
9-HCBT-0022-1	1 mg



Factor VIIa

Human FVIIa

Ref	Format
9-HCVIIA-0031	20 μ g
9-HCVIIA-0031-1	1 mg



Factor IXa


Bovine Factor IXa

Ref	Format
9-BCIXA-1050	100 μ g
9-BCIXA-1050-1	1 mg



Bovine Factor IXa - blocked active site (DEGRck)

Ref	Format
9-BCIXA-DEGR	100 μ g
9-BCIXA-DEGR-1	1 mg



Bovine Factor IXa - blocked active site (EGRck)

Ref	Format
9-BCIXA-EGR	100 μ g
9-BCIXA-EGR-1	1 mg



ENZYMES

Human Factor IXa



Ref	Format
9-HCIXA-0050	100 µg
9-HCIXA-0050-1	1 mg



Human Factor IXa - blocked active site (DEGRck)



Ref	Format
9-HCIXA-DEGR	100 µg
9-HCIXA-DEGR-1	1 mg



Human Factor IXa - blocked active site (EGRck)



Ref	Format
9-HCIXA-EGR	100 µg
9-HCIXA-EGR-1	1 mg



Rat Factor IXa



Ref	Format
9-RATIXA-9050	50 µg
9-RATIXA-9050-1	1 mg



Factor Xa

Human Factor Xa (FXa) RVV-X Activated




Ref	Format
11-526	80 µg



Bovine Factor Xa



Ref	Format
9-BCXA-1060	100 µg
9-BCXA-1060-1	1 mg



Bovine Factor Xa- blocked active site (EGRck)



Ref	Format
9-BCXA-EGR	100 µg
9-BCXA-EGR-1	1 mg



Human Factor Xa



Ref	Format
9-HCXA-0060	100 µg
9-HCXA-0060-1	1 mg



Human Factor Xa - blocked active site (BEGRck)



Ref	Format
9-HCXA-BEGR	100 µg
9-HCXA-BEGR-1	1 mg



Human Factor Xa - blocked active site (DEGRck)



Ref	Format
9-HCXA-DEGR	100 µg
9-HCXA-DEGR-1	1 mg



Human Factor Xa - blocked active site (EGRck)



Ref	Format
9-HCXA-EGR	100 µg
9-HCXA-EGR-1	1 mg



Human Gla-domainless β-Factor Xa



Ref	Format
9-HCXA-GD	100 µg
9-HCXA-GD-1	1 mg



Human β-Factor Xa



Ref	Format
9-HCBXA-0061	100 µg
9-HCBXA-0061-1	1 mg



Factor XIa

Human Factor XIa - blocked active site (EGRck)



Ref	Format
9-HCXIA-EGR	50 µg



Human Factor XIa




Ref	Format
9-HCXIA-0160	50 µg
9-HCXIA-0160-1	1 mg




Factor XIIa

Human Activated Factor XII (FXIIa) (activated Hageman Factor)



Ref	Format
11-412HA	0.5 mg



Factor XIIIa

Human Factor XIIIa



Ref	Format
9-HCXIIIa-0165	50 µg
9-HCXIIIa-0165-1	1 mg



Plasmin

Human plasmin



Ref	Format
9-HCPM-0140	500 µg
9-HCPM-0140-1	1 mg




Activated protein C (APC)

Bovine Activated Protein C - blocked active site (DEGR)



Ref	Format
9-BCAPC-DEGR	50 µg



Bovine Activated Protein C (APC)



Ref	Format
9-BCAPC-1080	50 µg
9-BCAPC-1080-1	1 mg



Human Activated Protein C



Ref	Format
9-HCAPC-0080	50 µg
9-HCAPC-0080-1	1 mg



Human Activated Protein C - blocked active site (DEGR)




Ref	Format
9-HCAPC-DEGR	50 µg
9-HCAPC-DEGR-1	1 mg



Kallikrein

Human kallikrein



Ref

11-473

Format

1 mg



EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.

FDA

Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

Your order

1

To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>