


CryoPep

Cryogenics at the service of haemostasis



COFACTORS

Edition of 2024-05-03 15:05:44

Botrocetin
Bitiscetin
Kaouthiagin

Endothelial Cells

Bilinesin
Convulxin
Echicetin
EMS16


Mucetin
Rhodocytin
Sochicetin-A
Triwaglerin

way

COFACTORS

Factor V

Human Factor V IgG free




| Ref | Format |
|--------------|------------|
| 9-HCV-0100-C | 1 x 100 µg |



Bovine Factor V



| Ref | Format |
|--------------|--------|
| 9-BCV-1100 | 100 µg |
| 9-BCV-1100-1 | 1 mg |



Human Factor V



| Ref | Format |
|--------------|--------|
| 9-HCV-0100 | 50 µg |
| 9-HCV-0100-1 | 1 mg |



Factor Va

Bovine Factor Va



| Ref | Format |
|---------------|--------|
| 9-BCVA-1110 | 100 µg |
| 9-BCVA-1110-1 | 1 mg |



Human Factor Va



| Ref | Format |
|---------------|--------|
| 9-HCVA-0110 | 50 µg |
| 9-HCVA-0110-1 | 1 mg |



Von Willebrand Factor

Human Von Willebrand Factor



| Ref | Format |
|----------------|--------|
| 9-HCVWF-0190 | 100 µg |
| 9-HCVWF-0190-1 | 1 mg |



Human Von Willebrand Factor (VIII free)



| Ref | Format |
|----------------|--------|
| 9-HCVWF-0191 | 100 µg |
| 9-HCVWF-0191-1 | 1 mg |



Fibronectin

Human fibronectin



| Ref | Format |
|---------------|--------|
| 9-HCFN-0170 | 2 mg |
| 9-HCFN-0170-1 | 1 mg |



Protein S

Human protein S



| Ref | Format |
|---------------|--------|
| 9-HCPS-0090 | 100 µg |
| 9-HCPS-0090-1 | 1 mg |




COFACTORS

Thrombomodulin

Rabbit lung thrombomodulin

| Ref | Format |
|----------------|--------|
| 9-RABTM-4202 | 50 µg |
| 9-RABTM-4202-1 | 1 mg |



Thrombomodulin, human, recombinant

| Ref | Format |
|------------------|--------|
| 6-THROMBOM-H-10 | 10 µg |
| 6-THROMBOM-H-100 | 100 µg |



EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.

FDA

Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

Your order

1

To order, several possibilities

| | |
|--------------|--|
| By telephone | +33(0)4 67 10 71 20 |
| By fax | +33(0)4 67 10 71 21 |
| By e-mail | contact@cryopep.com |
| By letter | CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE |

2

Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>