


# CryoPep

Cryogenics at the service of haemostasis



## FROZEN CALIBRATORS AND CONTROLS

Edition of 2024-04-11 14:04:36

way

Botrocetin  
Bitiscetin  
Kaouthiagin

Endothelial Cells



Bilinesin  
Convulxin  
Echicetin  
EMS16

Mucetin  
Rhodocytin  
Sochicetin-A  
Triwaglerin

# FROZEN CALIBRATORS AND CONTROLS

## SPECIALTY CALIBRATORS

### CRYOcheck™ Normal Reference Plasma



Ref	Format
CCNRP-05	25 x 0.5 mL
CCNRP-10	25 x 1.0 mL



## WEAK CONTROLS

### Very Low IX Control Plasma



Ref	Format
6-VL9C-05	25 x 0.5 mL



### Very Low VIII Control Plasma



Ref	Format
6-VL8C-05	25 x 0.5 mL



### Very Low XI Control Plasma



Ref	Format
6-VL11C-05	25 x 0.5 mL



### Very Low XII Control Plasma



Ref	Format
6-VL12C-05	25 x 0.5 mL



## SPECIALTY CONTROLS

### CRYOcheck™ Reference Control Normal



Ref	Format
RCN-05	25 x 0.5 mL
RCN-10	25 x 1.0 mL



### CRYOcheck™ Abnormal 1 Reference Control



Ref	Format
ARP1-05	25 x 0.5 mL
ARP1-10	25 x 1.0 mL



### CRYOcheck™ Abnormal 2 Reference Control




Ref	Format
ARP2-10	25 x 1.0 mL



## AVK


### Coumadin Plasma



Ref	Format
7-4000	5 x 1.0 mL



### Coumadin Plasma Set



Ref	Format
7-9400	5 x 1.0 mL



# FROZEN CALIBRATORS AND CONTROLS

## SCREENING TEST CONTROLS

### CRYOcheck™ Abnormal 1 Control

Ref	Format
CCA1-10	80 x 1.0 mL



### CRYOcheck™ Abnormal 2 Control

Ref	Format
CCA2-10	80 x 1.0 mL



### CRYOcheck™ Heparin Control

Ref	Format
CCH-10	80 x 1.0 mL



### CRYOcheck™ Low Fibrinogen Control

Ref	Format
CCLF-10	80 x 1.0 mL



## EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.

**FDA**

Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

# Your order

1

## To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

## Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

## Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>