



# HUMAN PLASMAS

## Fibrinogen plasmas

### Plasma set with different fibrinogen concentrations

Ref	Format
6-PPFIB	10 x 1.0 mL



### Afibrinogenemia plasma

Ref	Format
6-PPAFIB	1 x 1.0 mL



### Plasma with ultra low level of fibrinogen: <1 g/L

Ref	Format
6-PPFIBUL	1 x 1.0 mL



### Plasma with low level of fibrinogen: 1 - 1.5 g/L

Ref	Format
6-PPFIBL	1 x 1.0 mL



### Plasma with normal level of fibrinogen: 1.5 - 4.5 g/L

Ref	Format
6-PPFIBM	1 x 1.0 mL



### Plasma with high level of fibrinogen: 4.5 - 10 g/L

Ref	Format
6-PPFIBH	1 x 1.0 mL



### Plasma with ultra high level of fibrinogen: >10 g/L

Ref	Format
6-PPFIBUH	1 x 1.0 mL



## Individual normal donors plasmas

### CRYOcheck™ Normal Donor Set

Ref	Format
CCNS-10	25 x 1.0 mL



### Normal donor citrated plasma (vol > 50mL)

Ref	Format
6-PPNDCl	1 x 1.0 mL



### Normal donor plasma on EDTA anticoagulant

Ref	Format
6-PPNDEDTA	1 x 1.0 mL



## Weak control plasma

### Very Low IX Control Plasma

Ref	Format
6-VL9C-05	25 x 0.5 mL



### Very Low VIII Control Plasma

Ref	Format
6-VL8C-05	25 x 0.5 mL



### Very Low XI Control Plasma

Ref	Format
6-VL11C-05	25 x 0.5 mL



### Very Low XII Control Plasma

Ref	Format
6-VL12C-05	25 x 0.5 mL





# HUMAN PLASMAS

## Normal donor serum

### Normal donor serum

Ref	Format
6-SPND-05	1 x 0.5 mL
6-SPND-25	25 x 1.0 mL



### Pool of fresh serum from healthy donors



Ref	Format
6-SPOOL	10 x 1.0 mL
6-SPOOL-350	10 x 0.35 mL



## Pool of plasma from healthy donors

### Pool of fresh plasma from healthy donors

Ref	Format
6-PPOOL	Minimum 50 mL



## High Factor plasmas

### Plasma with high antithrombin level

Ref	Format
6-PPATH	1 x 1.0 mL



### High Factor II plasma (acquired) > 150 %

Ref	Format
6-PP02H	1 x 1.0 mL




### High Factor V plasma (acquired) > 150 %

Ref	Format
6-PP05H	1 x 1.0 mL




### High FVII plasma 100-150 % (acquired)

Ref	Format
6-PP07H	1 x 1.0 mL




### High FVIII plasma > 150 % (acquired)

Ref	Format
6-PP08H	1 x 1.0 mL



### High Factor IX plasma > 150 % (acquired)

Ref	Format
6-PP09H	1 x 1.0 mL



### High Factor X plasma > 150 % (acquired)

Ref	Format
6-PP10H	1 x 1.0 mL



### High Factor XI plasma > 150 % (acquired)

Ref	Format
6-PP11H	1 x 1.0 mL




### High Factor XII plasma > 150 % (acquired)

Ref	Format
6-PP12H	1 x 1.0 mL



### Factor XIII High > 150 % (acquired)

Ref	Format
6-PP13H	1 x 1.0 mL




# HUMAN PLASMAS

## Plasmas with anticoagulant drugs

### Plasma with oral anticoagulant plasma – INR < 2.00

Ref	Format
6-PPAOL	1 x 1.0 mL



### Plasma with oral anticoagulant plasma – INR

2.00-2.99

Ref	Format
6-PPAOM	1 x 1.0 mL



### Plasma with oral anticoagulant – INR 3.00–3.99

Ref	Format
6-PPAOH	1 x 1.0 mL



### Plasma with oral anticoagulant plasma - INR ≥ 4.00

Ref	Format
6-PPAOUH	1 x 1.0 mL



### Anticoagulant plasma – DTI – Argatroban – U/mL

Ref	Format
6-PPARG	1 x 1.0 mL



## EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.



Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

# Your order

1

## To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

## Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

## Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>