


CryoPep

Cryogenics at the service of haemostasis



ADAMTS-13

Edition of 2024-04-11 14:04:58

Botrocetin
Bitiscetin
Kaouthiagin

Endothelial Cells

Bilinesin
Convulxin
Echicetin
EMS16

Mucetin
Rhodocytin
Sochicetin-A
Triwaglerin

way

ADAMTS-13

ADAMTS-13 ACTIVITY

TECHNOZYM® ADAMTS-13 Activity ELISA

Ref	Format
4-5450701	12 x 8 assays



TECHNOZYM® ADAMTS-13 Activity Cal Set

Ref	Format
4-5450761	6 x 0.5 mL



TECHNOZYM® ADAMTS-13 Activity Control Set

Ref	Format
4-5450763	2 x 0.5 mL



ADAMTS-13 ANTIGEN

TECHNOZYM® ADAMTS-13 Antigen Calibrator Set

Ref	Format
4-5450661	5 x 0.5 mL



TECHNOZYM® ADAMTS-13 Antigen Control Set

Ref	Format
4-5450663	2 x 0.5 mL



TECHNOZYM® ADAMTS-13 Antigen ELISA

Ref	Format
4-5450601	



ADAMTS-13 INHIBITORS

TECHNOZYM® ADAMTS-13 INH ELISA

Ref	Format
4-5450401	12 x 8 assays
4-5450451	6 x 8 assays



TECHNOZYM® ADAMTS-13 INH Calibrator Set

Ref	Format
4-5450461	5 x 0.5 mL



TECHNOZYM® ADAMTS-13 INH Control Set

Ref	Format
4-5450463	2 x 0.5 mL



ADAMTS-13 ACTIVITY ANTIGEN

TECHNOZYM® ADAMTS13 Activity/Antigen ELISA

Ref	Format
4-5450501	12 x 8 assays
4-5450551	6 x 8 assays



TECHNOZYM® ADAMTS13 Activity/Antigen Cal Set

Ref	Format
4-5450561	5 x 0.5 mL



TECHNOZYM® ADAMTS13 Activity/Antigen Cont Set

Ref	Format
4-5450563	2 x 0.5 mL



ADAMTS-13 UNIT ACTIVITY

TECHNOSCREEN® ADAMTS13 Activity

Ref	Format
4-5700100	10 assays



EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.



Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

Your order

1

To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>