

DEFICIENT PLASMAS

Congenital deficient plasmas (Bottles)

Human Factor X congenital deficient plasma (severe <1%)



Associated products

Human Factor II congenital deficient plasma >5%

Human Factor IX congenital deficient plasma
(severe <1%)

Human Factor IX congenital deficient plasma >5%

Informations

Factor X (FX) is a glycoprotein synthesized by the liver, dependent on vitamin K.

FX is involved in the common pathway of coagulation.

It is activated in FXa by the FT-FVIIa complex or by the FVIIIa-FIXa complex in the presence of phospholipids.

FXa is neutralized by TFPI and antithrombin.

Reference	Presentation	Format
6-PPD10C-S	Vial	Minimum 50 mL

Plasma from a human donor with congenital FX deficiency.

Packaging in bottle. The minimum packaged volume is 50 mL. The price offer is based on the volume requested.

Advantages

Minimize test time.
Ready to use.

Characteristics

Special plasmas are derived from patients with a congenital deficiency, severe or moderate, or presenting a particular profile. No buffer or preservatives are added.

Quickly frozen at -80° C, the plasma maintains perfectly intact the matrix.

All plasmas are stable when stored at -40° C to -80° C.

We carefully pack with dry ice during shipment.

No additive or preservative.

Expiry date > 1 year.

Plastic vials.

