DEFICIENT PLASMAS

Congenital deficient plasmas (Bottles)

Human Antithrombin congenital deficient plasma











Asso	ciated	prod	lucts

Antithrombin deficient plasma immuno depleted

Antithrombin human deficient plasma (acquired)

Plasma with high antithrombin level

Reference	Presentation	Format
6-PPDATC	Vial	Minimum 50 mL

Packaging in bottle. The minimum packaged volume is 50 mL. The price offer is based on the volume requested.

Informations

Previously called antithrombin III (abbreviated ATIII), human antithrombin is one of the major physiological inhibitors of coagulation.

A natural serine protease inhibitor, antithrombin acts mainly on thrombin (IIa) and activated Factor X (FXa), as well as on activated forms of factors IX, XI and XII.

This reaction is catalyzed by heparin.

The normal level of antithrombin is between 80 and 120% in adults and it is about half in newborns. Antithrombin deficiencv predisposes thrombosis.

Advantages

Minimize test time. Ready to use.

Characteristics

Special plasmas are derived from patients with a congenital deficiency, severe or moderate, or presenting a particular profile.

No buffer or preservatives are added. Quickly frozen at -80° C, the plasma maintains perfectly intact the matrix.

All plasmas are stable when stored at -40° C to -80°

We carefully pack with dry ice during shipment. No additive or preservative. Expiry date > 1 year. Plastic vials.



