


# CryoPep

Cryogenics at the service of haemostasis



## VENOM PROTEASES

Edition of 2024-04-11 15:04:47

Botrocinet  
Bitiscetin  
Kaouthiagin

Endothelial Cells

Bilixelin  
Convulxin  
Echicetin  
EMS16

Mucetin  
Rhodocytin  
Sochicetin-A  
Triwaglerin

# VENOM PROTEASES

## Agkistrodon contortrix venom snake

### Protac® 3U



Ref	Format
8-113-01	1 x 3 U



### Protac



Ref	Format
6-VEN-PROT-3	1 x 3 U




## Daboia Russelii venom

### Daboia Russelii venom (frozen)



Ref	Format
9-RVVX-2010	100 µg
9-RVVX-2010-1	1 mg



### Daboia Russelii venom (lyophilized)



Ref	Format
6-VEN-RVVX-100	100 µg



## Echis carinatus venom snake

### Ecarin 50 EU



Ref	Format
8-116-01	1 x 50 U



### Ecarin



Ref	Format
6-VEN-ECAR-50	50 µg



### Prothrombin activator (echarin)



Ref	Format
9-ECVII-2011	100 µg
9-ECVII-2011-1	1 mg



## Vipera Russelii venom

### RVV-Facteur V Activator



Ref	Format
8-121-03	1 x 1000 U



### RVV Facteur X Activator



Ref	Format
8-121-07	1 x 50 U



### RVV-V Venin de Vipera Russelii (frozen)



Ref	Format
9-RVVV-2000	100 µg
9-RVVV-2000-1	1 mg



### RVV-V Venin de Vipera Russelii (lyophilized)



Ref	Format
6-VEN-RVVV-100	100 µg



## Bothrops atrox venom snake

### Batroxobin Maranhao 100BU



Ref	Format
8-101-04	1 x 100 BU
8-101-06	1 x 1000 BU
8-101-06	1 x 1000 BU



### Batroxobin



Ref	Format
6-VEN-BATRO-50	50 µg




## Crotalus durissus terrificus venom snake

### Convulxin 50 µg




Ref	Format
8-119-02	50 µg



### Convulxin



Ref	Format
6-VEN-CONV-50	50 µg



## EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.



Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

# Your order

1

## To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

## Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

## Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>