


# CryoPep

Cryogenics at the service of haemostasis



## THROMBOPHILIA

Edition of 2024-04-11 14:04:57

Botrocetin  
Bitiscetin  
Kaouthiagin

Endothelial Cells

Bilinesin  
Convulxin  
Echicetin  
EMS16

Mucetin  
Rhodocytin  
Sochicetin-A  
Triwaglerin

way

## FACTOR V LEIDEN / APCR

### Pefakit® APC-R Factor V Leiden

Ref	Format
8-502-01	3 x 2.0 mL



### Pefakit® APC-R Factor V Leiden Controls

Ref	Format
8-502-21	2 x 3 x 1.0 mL



### APC Control Kit

Ref	Format
4-5344512	2 x 1.0 mL



### APC Resistance Kit

Ref	Format
4-5344510	3 x 40 assays



### CRYOcheck™ APCR Positive Control

Ref	Format
APCR-05	25 x 0.5 mL



## ANTITHROMBIN

### TECHNOCHROM® ATIII analyzer Kit

Ref	Format
4-5340224	100 assays



## GENETIC PANEL

### THROMBO inCode Kit GEN inCode

Ref	Format
10-TIC-RTPCR-16	1 x 6 tubes
10-TIC-RTPCR-16P	Prefilled plate



## C1-INHIBITOR

### TECHNOCHROM® C1-INH

Ref	Format
4-5345003	30 à 60 assays



# THROMBOPHILIA

## PROTEIN C

### CRYOcheck™ Clot C™



Ref	Format
CCC-15	2 x 5 x 1.5 mL
CCC-30	2 x 5 x 3.0 mL



### TECHNOCHROM® Protein C



Ref	Format
4-5341013	30 à 60 assays



### TECHNOZYM® PCI Actibind® ELISA Kit



Ref	Format
4-TC16100	12 x 8 assays



### TECHNOZYM® Protein C ELISA Kit



Ref	Format
4-TC12021	12 x 8 assays



## PROTEIN S

### ACTICLOT® Protein S



Ref	Format
11-843L	40 assays



### CRYOcheck™ Clot S™



Ref	Format
CCS-15	2 x 5 x 1.5 mL
CCS-30	2 x 5 x 3.0 mL



## TISSUE FACTOR

### ACTICHROME® TF



Ref	Format
11-846	100 assays



### ACTICHROME® TFPI



Ref	Format
11-848	100 assays



## EXPLANATION FOR SYMBOLS USED



These kits are manufactured in accordance with the 98/79 EC directive for in vitro diagnostic devices. Only CE marked products can be used for diagnostic applications in Europe.



These kits are intended for in vitro diagnostic use.



These kits are for research use only and are not intended to be used for diagnostic procedures.

**FDA**

Federal Drug Administration, FDA validates diagnostic kits for in vitro diagnostic use in the United States.



Biological risk products



Storage between 2 and 8 ° C



Reactive in liquid form



Reactive in lyophilized form



Reactive in frozen form



Stability after opening at 2-8 ° C



Products that can be refrozen



Stability 12 months after refreezing at -20 ° C



Manufacturer



Importer



Distributor

# Your order

1

## To order, several possibilities

By telephone	+33(0)4 67 10 71 20
By fax	+33(0)4 67 10 71 21
By e-mail	contact@cryopep.com
By letter	CRYOPEP, 83 rue Yves Montand, 34 080 Montpellier, FRANCE

2

## Command Processing

We carefully pack frozen products in boxes with dry ice or cold packs according of the nature of the product.

To optimize the conditions of transport of our products, we ship our packages in dry ice only from Monday to Wednesday, except urgent customer requests.

All other orders for freeze-dried products are shipped from Monday to Friday.

3

## Transport

We work exclusively with carriers receiving ISO 9001 and CERTIPHARM certifications.

We guarantee timely delivery of all products.

During transportation, we follow all our shipments and, if necessary, call our customers to check that the packages have been received in the laboratory.

Visit our website : <https://www.cryopep.com>