

DEFICIENT PLASMAS

Immunodepleted deficient plasmas

Fresh frozen plasmas

Protein C Inhibitor Immunodepleted Deficient Human Plasma



Associated products

a2-Antiplasmin Immunodepleted Deficient Human Plasma

Antithrombin deficient plasma immuno depleted

Antithrombin Immunodepleted Deficient Human Plasma

Informations

Protein C inhibitor (PCI) is a plasma serine protease which primarily inhibits protein C but also inhibits thrombin, FXa, t-PA, trypsin, chymotrypsin. Its action is amplified in the presence of high concentrations of heparin.

Reference	Presentation	Format
6-FDPPCI	Bottle	1 x 100 mL
6-FDPPCI-10	Kit	10 x 1.0 mL

Immunodepleted deficient plasma for protein C inhibitor assay

Human plasma immunodepleted in protein C and buffered with 20mM HEPES.

Components

- 10 cryotubes x 1 mL or 100 mL vial of frozen plasma.

Advantages

- No bovine additives
- No reconstitution error
- No deterioration of plasmas linked to freeze-drying
- Cryotubes ready to use after thawing (4 min at 37°C).

Characteristics

Packaging in plastic cryotubes or in bottles of at least 100 mL.

Frozen, immuno-depleted plasmas are certified to have less than 1% for the deficient factor considered, both for the antigenic and functional assay in haemostasis.
This box is intended for research use