

DEFICIENT PLASMAS

Immunodepleted deficient plasmas

Fresh frozen plasmas

TAFI Immunodepleted Deficient Human Plasma



Associated products

a2-Antiplasmin Immunodepleted Deficient Human Plasma

Antithrombin deficient plasma immuno depleted

Antithrombin Immunodepleted Deficient Human Plasma

Informations

TAFI (Thrombin-activatable fibrinolysis inhibitor) is an enzyme that stabilizes the clot by protecting the clot fibrin from lysis. TAFI is activated by thrombin and its activation is amplified in the presence of thrombomodulin.

Activated TAFI removes the C-terminal lysine and arginine residues of fibrin which are necessary for the binding of t-PA, plasmin and plasminogen to fibrin.

Reference	Presentation	Format
6-FDPTAFI	Bottle	1 x 100 mL
6-FDPTAFI-10	Kit	10 x 1.0 mL

Plasma deficient for thrombin activatable fibrinolysis inhibitor (TAFI) assay.

Pooled normal citrated human plasma depleted of TAFI using antibodies directed to TAFI immobilized on agarose beads. Plasma contains 20 mM Hepes.

Components

- 10 cryotubes x 1 mL or 100 mL vial of frozen plasma.

Advantages

- No bovine additives
- No reconstitution error
- No deterioration of plasmas linked to freeze-drying
- Cryotubes ready to use after thawing (4 min at 37°C).

Characteristics

Packaging in plastic cryotubes or in bottles of at least 100 mL.

Frozen, immuno-depleted plasmas are certified to have less than 1% for the deficient factor considered, both for the antigenic and functional assay in haemostasis.

This box is intended for research use