

## DEFICIENT PLASMAS

### Immunodepleted deficient plasmas

Fresh Frozen Plasmas



# Antithrombin/Heparin Cofactor II Immunodepleted Deficient Human Plasma



#### Associated products

a2-Antiplasmin Immunodepleted Deficient Human Plasma

Antithrombin deficient plasma immuno depleted

Antithrombin Immunodepleted Deficient Human Plasma

#### Informations

Antithrombin is a major inhibitor of serine proteases, it acts mainly on thrombin and FXa as well as on FIX, FXI and FXII, the inhibition of which is catalyzed by heparin.

The second heparin cofactor is a serine protease inhibitor. It inhibits thrombin, chymotrypsin and other enzymes of the same group.

Its rate of inhibition is amplified in the presence of heparin.

Reference	Presentation	Conditioning
6-FDPATHCFII	Bottle	1 x 100 mL
6-FDPATHCFII-10	Kit	10 x 1.0 mL

#### Immunodepleted deficient plasma for heparin cofactor II assay.

Human plasma immuno-depleted in antithrombin complex and heparin cofactor II and buffered with 20mM HEPES.

#### Components

- 10 cryotubes x 1 mL or 100 mL vial of frozen plasma.

#### Advantages

- No bovine additives
- No reconstitution error
- No plasma alteration linked to freeze-drying
- Cryotubes ready to use after thawing (4 min at 37°C).

#### Characteristics

Packaging in plastic cryotubes or in bottles of at least 100 mL.

Frozen, immuno-depleted plasmas are certified to have less than 1% for the deficient factor considered, both for the antigenic and functional assay in haemostasis.

This box is intended for research use.